



THIRD FLOOR
665 SQUARE FEET
LOWER FLOOR
145 SQUARE FEET


MAIN FLOOR 430 SQUARE FEET




SECOND FLOOR 665 SQUARE FEET



THIRD FLOOR 665 SQUARE FEET



LOWER FLOOR 145 SQUARE FEET



74 SILVER SHADOW PATH ROOM MEASUREMENTS

Floor	Room	Imperial						Metric [m]		
		Length		Width		Height		Longth	\\/id+b	Hoigh+
		Feet	Inches	Feet	Inches	Feet	Inches	Length	Width	Height
Third	Primary Bedroom	16	2	11	7	8	1	4,93	3,53	2,46
	Second Bedroom	13	2	8	10	8	1	4,01	2,69	2,46
	Third Bedroom	9	6	9	3	8	1	2,90	2,82	2,46
	Bathroom	7	10	7	7	7	11	2,39	2,31	2,41
Second	Living Room	18	6	11	7	11	2	5,64	3,53	3,40
	Dining Room	11	1	9	2	8	0	3,38	2,79	2,44
	Kitchen/Breakfast Area	13	6	10	11	8	0	4,11	3,33	2,44
	Bathroom	7	1	4	5	8	0	2,16	1,35	2,44
Main	Entry	11	10	5	6	8	0	3,61	1,68	2,44
	Rec Room	14	9	11	4	8	0	4,50	3,45	2,44
	Garage	19	11	10	2	8	0	6,07	3,10	2,44
Lower	Laundry/Furnace	12	2	7	9	7	2	3,71	2,36	2,18

The following is a disclaimer regarding the approximate nature of dimensions and floor areas listed in this document:

Disclaimer:

The dimensions and floor areas listed in this document are provided as an estimate only and are intended to be used for illustration purposes only. These measurements are not necessarily meant to be a perfect representation of the actual space.

Notes regarding measurement methods and accuracy:

The utilization of laser measurement technology during the 3D model capturing process at the location provides an accurate representation of floor plans, with a typical margin of error of 3-5%. For the most accurate and official measurement data, it is advised to consult official documents such as MPAC records, builder's pre-construction plans, or data from certified measurement companies.

Exterior wall thickness is included in the calculation of the overall square footage and is considered as a component of the footprint. The wall thickness measurement is obtained onsite whenever possible, or estimated in the event where obtaining onsite measurements is not possible, such as in the case of condominium buildings where wall thickness may vary throughout the building.