


138 BONIS AVENUE UNIT 1026
FLOOR PLAN



CAPTURED ON: 2 SEP 2025
DIMENSIONS ARE APPROXIMATE AND SHOULD BE CONSIDERED
ILLUSTRATIVE ONLY.

1915 Sq. Ft. + Balcony

138 BONIS AVENUE UNIT 1026 ROOM MEASUREMENTS

Floor	Room	Imperial						Metric [m]		
		Length		Width		Height		Length	Width	Height
		Feet	Inches	Feet	Inches	Feet	Inches			
	Entry	11	1	5	8	7	11	3,38	1,73	2,41
	Living Room	28	8	12	1	7	11	8,74	3,68	2,41
	Dining Room	13	1	9	2	7	11	3,99	2,79	2,41
	Kitchen/Breakfast Area	21	9	9	8	7	11	6,63	2,95	2,41
	Primary Bedroom	16	10	11	10	7	11	5,13	3,61	2,41
	Primary Ensuite	11	3	11	0	7	1	3,43	3,35	2,16
	Walk in Closet	6	4	5	5	7	11	1,93	1,65	2,41
	Walk in Closet	6	4	5	5	7	11	1,93	1,65	2,41
	Second Bedroom	12	6	11	9	7	11	3,81	3,58	2,41
	Third Bedroom	12	9	11	0	7	11	3,89	3,35	2,41
	Laundry	5	7	5	6	7	11	1,70	1,68	2,41
	Bathroom	8	10	4	8	7	1	2,69	1,42	2,16

*CAPTURED ON: 2 SEP 2025
DIMENSIONS ARE APPROXIMATE AND SHOULD BE CONSIDERED
ILLUSTRATIVE ONLY.

1915 sq ft + Balcony

The following is a disclaimer regarding the approximate nature of dimensions and floor areas listed in this document:

Disclaimer:

The dimensions and floor areas listed in this document are provided as an estimate only and are intended to be used for illustration purposes only. These measurements are not necessarily meant to be a perfect representation of the actual space.

Notes regarding measurement methods and accuracy:

The utilization of laser measurement technology during the 3D model capturing process at the location provides an accurate representation of floor plans, with a typical margin of error of 3-5%. For the most accurate and official measurement data, it is advised to consult official documents such as MPAC records, builder's pre-construction plans, or data from certified measurement companies.

Exterior wall thickness is included in the calculation of the overall square footage and is considered as a component of the footprint. The wall thickness measurement is obtained onsite whenever possible, or estimated in the event where obtaining onsite measurements is not possible, such as in the case of condominium buildings where wall thickness may vary throughout the building.