




3407 SIXTH LINE
FLOOR PLANS



MAIN FLOOR
420 SQUARE FEET



SECOND FLOOR
780 SQUARE FEET




THIRD FLOOR
815 SQUARE FEET


2015 sq ft

3407 SIXTH LINE FLOOR PLANS


MAIN FLOOR 420 SQUARE FEET



3407 SIXTH LINE
FLOOR PLANS
SECOND FLOOR 780 SQUARE FEET



3407 SIXTH LINE
FLOOR PLANS
THIRD FLOOR 815 SQUARE FEET



3407 SIXTH LINE ROOM MEASUREMENTS

Floor	Room	Imperial						Metric [m]		
		Length		Width		Height		Length	Width	Height
		Feet	Inches	Feet	Inches	Feet	Inches			
Third	Primary Bedroom	13	7	10	8	8	0	4,14	3,25	2,44
	Primary Ensuite	10	1	5	1	7	10	3,07	1,55	2,39
	Walk in Closet	6	9	4	9	7	10	2,06	1,45	2,39
	Second Bedroom	10	5	10	4	8	0	3,18	3,15	2,44
	Third Bedroom	10	6	9	1	8	0	3,20	2,77	2,44
	Bathroom	10	3	4	9	7	10	3,12	1,45	2,39
Second	Living Room	14	1	13	4	9	0	4,29	4,06	2,74
	Kitchen/Breakfast Area	21	6	14	1	9	0	6,55	4,29	2,74
Main	Entry	8	5	4	8	9	1	2,57	1,42	2,77
	Bedroom	11	9	8	11	8	11	3,58	2,72	2,72
	Storage	6	0	5	1	7	9	1,83	1,55	2,36

The following is a disclaimer regarding the approximate nature of dimensions and floor areas listed in this document:

Disclaimer:

The dimensions and floor areas listed in this document are provided as an estimate only and are intended to be used for illustration purposes only. These measurements are not necessarily meant to be a perfect representation of the actual space.

Notes regarding measurement methods and accuracy:

The utilization of laser measurement technology during the 3D model capturing process at the location provides an accurate representation of floor plans, with a typical margin of error of 3-5%. For the most accurate and official measurement data, it is advised to consult official documents such as MPAC records, builder's pre-construction plans, or data from certified measurement companies.

Exterior wall thickness is included in the calculation of the overall square footage and is considered as a component of the footprint. The wall thickness measurement is obtained onsite whenever possible, or estimated in the event where obtaining onsite measurements is not possible, such as in the case of condominium buildings where wall thickness may vary throughout the building.