

207 FAIRGLEN AVENUE FLOOR PLANS




MAIN FLOOR
1330 SQUARE FEET



1330 sq ft + 1075 sq ft BELOW GRADE


207 FAIRGLEN AVENUE FLOOR PLANS

MAIN FLOOR 1330 SQUARE FEET



207 FAIRGLEN AVENUE FLOOR PLANS

LOWER FLOOR 1075 SQUARE FEET



207 FAIRGLEN AVENUE ROOM MEASUREMENTS

Floor	Room	Imperial						Metric [m]		
		Length		Width		Height		Longth	\\/id+h	Hoight
		Feet	Inches	Feet	Inches	Feet	Inches	Length	Width	Height
Main	Entry	7	8	3	11	12	2	2,34	1,19	3,71
	Living Room	14	5	13	5	8	1	4,39	4,09	2,46
	Dining Room	11	0	10	2	8	1	3,35	3,10	2,46
	Kitchen/Breakfast Area	18	5	9	0	8	1	5,61	2,74	2,46
	Primary Bedroom	15	2	10	0	8	3	4,62	3,05	2,51
	Second Bedroom	12	4	9	10	8	3	3,76	3,00	2,51
	Third Bedroom	10	7	8	10	8	1	3,23	2,69	2,46
	Bathroom	9	11	7	7	8	1	3,02	2,31	2,46
Lower	Rec Room	17	9	11	9	6	10	5,41	3,58	2,08
	Rec Room	16	4	12	5	6	10	4,98	3,78	2,08
	Bedroom	12	2	7	8	6	10	3,71	2,34	2,08
	Kitchen	12	0	6	9	6	10	3,66	2,06	2,08
	Furnace/Laundry	10	8	5	4	6	10	3,25	1,63	2,08
	Bathroom	12	4	4	2	6	10	3,76	1,27	2,08
	Bathroom	9	4	4	11	6	10	2,84	1,50	2,08

The following is a disclaimer regarding the approximate nature of dimensions and floor areas listed in this document:

Disclaimer:

The dimensions and floor areas listed in this document are provided as an estimate only and are intended to be used for illustration purposes only. These measurements are not necessarily meant to be a perfect representation of the actual space.

Notes regarding measurement methods and accuracy:

The utilization of laser measurement technology during the 3D model capturing process at the location provides an accurate representation of floor plans, with a typical margin of error of 3-5%. For the most accurate and official measurement data, it is advised to consult official documents such as MPAC records, builder's pre-construction plans, or data from certified measurement companies.

Exterior wall thickness is included in the calculation of the overall square footage and is considered as a component of the footprint. The wall thickness measurement is obtained onsite whenever possible, or estimated in the event where obtaining onsite measurements is not possible, such as in the case of condominium buildings where wall thickness may vary throughout the building.