





14 EIGHTH STREET FLOOR PLANS




14 EIGHTH STREET FLOOR PLANS

MAIN FLOOR 775 SQUARE FEET



14 EIGHTH STREET
FLOOR PLANS
SECOND FLOOR 770 SQUARE FEET



14 EIGHTH STREET FLOOR PLANS

LOWER FLOOR 805 SQUARE FEET



14 EIGHTH STREET ROOM MEASUREMENTS

Floor	Room	Imperial						Metric [m]		
		Length		Width		Height		Length	Width	Height
		Feet	Inches	Feet	Inches	Feet	Inches			
Second	Primary Bedroom	14	1	13	1	8	8	4,29	3,99	2,64
	Second Bedroom	11	2	10	2	8	8	3,40	3,10	2,64
	Third Bedroom	10	8	9	10	8	8	3,25	3,00	2,64
	Bathroom	8	4	6	4	8	5	2,54	1,93	2,57
Main	Entry	14	7	5	9	8	1	4,45	1,75	2,46
	Living Room	19	11	11	7	8	1	6,07	3,53	2,46
	Dining Room	14	7	9	4	8	1	4,45	2,84	2,46
	Kitchen/Breakfast Area	13	7	9	10	8	1	4,14	3,00	2,46
Lower	Rec Room	15	8	12	2	6	5	4,78	3,71	1,96
	Bathroom	8	10	5	6	6	5	2,69	1,68	1,96
	Laundry Room	8	10	6	5	6	5	2,69	1,96	1,96
	Furnace	16	7	9	5	6	5	5,05	2,87	1,96

CAPTURED ON: 30 MAR 2026
 DIMENSIONS ARE APPROXIMATE AND SHOULD BE CONSIDERED
 ILLUSTRATIVE ONLY.

1545 sq ft + 805 sq ft
 BELOW GRADE

The following is a disclaimer regarding the approximate nature of dimensions and floor areas listed in this document:

Disclaimer:

The dimensions and floor areas listed in this document are provided as an estimate only and are intended to be used for illustration purposes only. These measurements are not necessarily meant to be a perfect representation of the actual space.

Notes regarding measurement methods and accuracy:

The utilization of laser measurement technology during the 3D model capturing process at the location provides an accurate representation of floor plans, with a typical margin of error of 3-5%. For the most accurate and official measurement data, it is advised to consult official documents such as MPAC records, builder's pre-construction plans, or data from certified measurement companies.

Exterior wall thickness is included in the calculation of the overall square footage and is considered as a component of the footprint. The wall thickness measurement is obtained onsite whenever possible, or estimated in the event where obtaining onsite measurements is not possible, such as in the case of condominium buildings where wall thickness may vary throughout the building.